

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Finding cause of a sore throat	1999	93.1(0.6)	91.2(1.1)	94.8(0.7)	94.7(0.7)	86.0(1.6)	93.5(2.0)
	1996	92.0(0.7)	88.4(1.2)	95.9(0.6)	94.8(0.8)	82.9(2.1)	90.7(2.8)
	1994	88.3(1.0)	84.1(1.6)	92.4(1.1)	91.8(1.0)	81.2(2.7)	76.3(3.5)
	1992	88.7(1.0)	85.6(1.4)	91.7(1.0)	91.5(1.0)	80.6(2.5)	86.8(2.7)
	1990	88.0(1.1)	84.7(1.3)	91.0(1.2)	92.3(0.9)	78.6(3.7)	75.0(4.9)
	1986	87.4(0.6)	83.5(1.3)	91.3(1.3)	90.0(0.6)	77.0(2.5)	82.8(2.1)
	1982	84.4(1.2)	79.6(1.6)	88.7(1.2)	86.6(1.3)	74.3(2.8)	74.7(3.8)
	1977	87.2(0.7)	83.9(1.2)	90.2(1.0)	88.4(0.8)	78.9(2.8)	88.2(2.4)
Plants bend toward light	1999	70.7(1.8)	72.9(1.9)	68.7(2.5)	76.4(2.0)	51.4(4.3)	57.0(5.2)
	1996	73.6(1.2)	74.4(1.6)	72.9(1.6)	80.9(1.3)	54.8(3.6)	63.7(4.7)
	1994	73.2(1.6)	73.9(1.8)	72.5(2.1)	80.5(1.3)	50.5(3.4)	49.3(5.8)
	1992	72.3(1.4)	74.9(1.7)	69.6(1.5)	77.4(1.2)	53.7(4.0)	64.0(6.3)
	1990	67.1(1.4)	71.5(1.6)	63.2(1.9)	73.5(1.1)	42.5(4.0)	55.8(4.5)
	1986	67.9(1.4)	70.3(2.1)	65.4(1.9)	73.5(1.2)	43.7(4.7)	58.2(4.6)
	1982	68.8(1.3)	71.4(2.0)	66.1(1.9)	73.6(1.2)	47.1(3.1)	47.6(3.6)
	1977	68.8(1.3)	71.4(2.0)	66.1(1.9)	73.6(1.2)	47.1(3.1)	47.6(3.6)
Observing a sealed aquarium	1999	77.7(1.3)	79.8(1.4)	75.8(1.8)	80.3(1.5)	66.9(3.6)	72.4(3.6)
	1996	75.2(1.4)	75.8(1.7)	74.6(2.5)	77.6(1.8)	71.0(2.6)	66.4(3.6)
	1994	78.3(1.2)	78.9(1.3)	77.9(1.6)	82.0(1.2)	71.4(2.3)	65.7(4.4)
	1992	75.3(1.1)	75.7(1.8)	74.9(1.5)	78.3(1.3)	65.5(3.5)	69.4(4.0)
	1990	75.3(1.3)	78.1(1.5)	72.8(1.8)	79.0(1.0)	62.8(4.3)	68.3(4.7)
	1986	77.6(1.3)	79.2(1.8)	76.1(1.8)	79.2(1.5)	74.8(4.0)	69.3(5.2)
	1982	79.4(1.4)	80.0(1.6)	78.9(1.7)	81.2(1.7)	71.8(3.7)	73.1(3.5)
	1977	83.1(0.9)	83.0(1.3)	83.1(1.1)	84.8(0.9)	75.5(1.9)	69.6(3.9)
Tissues and cells	1999	63.4(1.5)	64.3(2.0)	62.5(2.2)	65.3(1.9)	60.9(2.0)	51.5(4.9)
	1996	69.2(1.6)	71.5(1.7)	66.7(1.9)	71.3(2.0)	62.3(3.2)	65.6(4.3)
	1994	67.6(1.3)	70.4(1.6)	65.0(2.0)	70.1(1.4)	60.9(2.6)	55.7(3.9)
	1992	65.7(1.5)	66.3(1.8)	65.1(1.9)	67.5(1.7)	58.3(4.8)	61.3(5.6)
	1990	65.7(1.4)	69.5(1.8)	62.4(1.8)	67.1(1.6)	58.6(3.2)	67.5(5.2)
	1986	68.3(1.5)	69.6(1.8)	67.1(1.7)	70.7(1.8)	59.8(3.3)	58.0(4.9)
	1982	63.7(1.5)	64.3(1.9)	63.1(2.0)	65.8(1.7)	54.1(2.8)	57.0(6.1)
	1977	65.2(1.2)	67.0(1.7)	63.5(1.4)	66.9(1.4)	54.8(2.1)	60.3(3.6)
Melting crushed ice	1999	60.2(1.3)	66.4(1.7)	54.4(1.9)	66.5(1.3)	32.5(2.7)	55.8(5.5)
	1996	61.6(1.6)	67.6(1.9)	55.9(2.4)	67.4(2.2)	38.7(3.6)	44.5(4.0)
	1994	60.9(1.6)	65.3(1.9)	56.6(2.1)	67.9(1.7)	36.4(2.6)	49.6(3.5)
	1992	64.3(1.4)	70.8(1.7)	57.5(1.9)	69.4(1.5)	39.1(3.9)	55.7(5.1)
	1990	64.6(1.9)	70.3(2.2)	58.8(2.2)	70.3(1.7)	41.2(6.0)	52.9(6.7)
	1986	59.3(1.2)	66.3(1.4)	52.8(2.0)	63.9(1.3)	39.6(3.7)	41.6(5.1)
	1982	61.6(1.4)	69.1(1.3)	54.8(2.0)	66.9(1.4)	35.5(3.0)	37.7(4.5)
	1977	61.2(1.3)	70.5(1.8)	52.2(1.5)	65.6(1.1)	31.4(2.5)	51.1(4.8)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Function of red blood cells	1999	62.5(1.2)	68.7(1.5)	56.8(1.5)	63.5(1.3)	54.4(3.4)	64.9(5.8)
	1996	56.3(1.4)	60.4(1.6)	52.0(1.9)	58.3(1.7)	48.5(2.7)	54.7(5.6)
	1994	57.2(1.6)	61.3(1.9)	53.6(2.1)	60.3(1.7)	47.0(3.6)	47.4(3.8)
	1992	60.5(1.1)	61.7(1.7)	59.4(1.8)	63.0(1.3)	52.7(3.8)	53.5(4.4)
	1990	64.4(1.2)	68.8(1.6)	60.6(1.7)	66.5(1.3)	55.0(3.4)	62.7(6.2)
	1986	63.8(1.4)	67.0(1.5)	60.7(2.6)	63.5(1.6)	67.2(4.1)	60.2(5.2)
	1982	64.5(2.0)	69.2(1.9)	60.2(2.6)	66.1(1.7)	58.9(4.9)	56.0(8.9)
	1977	65.9(1.2)	69.2(1.7)	62.7(1.8)	66.2(1.3)	60.3(3.6)	67.4(5.5)
Water temperature for swimming	1999	49.2(1.4)	56.5(1.9)	42.4(1.5)	56.0(1.6)	21.5(2.9)	37.8(5.9)
	1996	45.6(1.7)	51.1(2.2)	40.4(2.6)	51.0(2.3)	22.6(3.7)	34.3(4.1)
	1994	43.7(1.8)	49.5(2.3)	37.8(2.0)	49.3(2.1)	18.7(1.5)	39.6(5.6)
	1992	46.0(1.3)	53.9(1.9)	37.6(1.5)	51.2(1.5)	27.0(3.5)	26.4(3.7)
	1990	44.5(1.7)	51.3(1.8)	37.7(1.9)	49.4(2.0)	25.4(3.3)	26.4(4.1)
	1986	46.8(1.2)	54.5(1.9)	39.8(1.6)	51.7(1.3)	28.8(2.6)	24.5(3.4)
	1982	48.1(1.5)	58.6(1.9)	37.8(1.8)	52.2(1.6)	22.7(3.4)	41.2(6.2)
	1977	48.1(1.5)	58.6(1.9)	37.8(1.8)	52.2(1.6)	22.7(3.4)	41.2(6.2)
Sulfur dioxide and acid rain	1999	68.2(1.1)	73.2(1.3)	63.4(1.4)	70.9(1.2)	53.8(3.0)	65.6(4.8)
	1996	69.2(1.3)	72.9(1.7)	65.8(1.8)	73.7(1.4)	49.9(3.7)	58.1(2.8)
	1994	67.0(1.4)	74.7(1.8)	59.3(1.9)	73.1(1.5)	48.8(4.4)	51.0(3.5)
	1992	71.1(1.0)	76.5(1.5)	65.5(1.3)	75.6(1.1)	51.1(4.4)	60.6(5.9)
	1990	71.1(1.6)	77.3(1.9)	64.9(1.8)	76.4(1.2)	53.6(4.1)	51.2(***)
	1986	65.2(1.0)	72.2(1.7)	58.8(1.6)	69.1(1.2)	51.4(3.4)	44.4(4.7)
	1982	44.7(1.5)	56.5(2.2)	34.2(1.9)	47.9(1.6)	26.1(2.9)	38.0(4.5)
	1977	31.0(2.0)	39.7(2.2)	22.3(1.9)	33.5(2.3)	17.9(2.3)	18.1(3.6)
Seed germination	1999	25.8(1.0)	31.1(1.8)	20.9(1.6)	27.9(1.2)	20.3(2.1)	24.3(4.0)
	1996	29.6(2.0)	34.3(2.2)	24.7(2.3)	32.6(2.3)	20.8(2.1)	31.1(4.4)
	1994	28.6(1.4)	31.6(2.0)	25.8(2.0)	30.5(1.8)	26.1(3.8)	18.0(3.7)
	1992	31.3(1.1)	37.6(1.5)	25.1(1.5)	32.3(1.1)	29.3(3.1)	26.0(3.5)
	1990	34.1(1.2)	37.3(1.6)	31.2(1.5)	35.3(1.6)	29.1(2.7)	30.3(4.7)
	1986	38.8(1.6)	43.6(2.4)	34.0(1.4)	40.2(1.9)	37.6(3.0)	27.5(3.8)
	1982	33.7(1.3)	36.4(1.7)	30.9(2.1)	35.1(1.4)	27.7(3.6)	25.8(4.9)
	1977	33.7(1.3)	36.4(1.7)	30.9(2.1)	35.1(1.4)	27.7(3.6)	25.8(4.9)
Efficient use of grain as food	1999	23.8(1.1)	25.2(1.4)	22.5(1.5)	24.8(1.0)	19.1(3.2)	28.8(5.1)
	1996	22.7(1.3)	27.6(2.0)	17.7(1.6)	25.3(1.7)	14.4(2.3)	19.6(3.8)
	1994	25.4(1.5)	28.3(2.1)	22.7(1.4)	27.0(1.9)	21.3(2.9)	19.5(4.6)
	1992	26.4(1.2)	28.6(1.6)	24.2(1.8)	29.2(1.4)	17.8(1.9)	19.7(3.9)
	1990	22.9(1.0)	24.8(1.4)	21.3(1.4)	25.4(1.1)	15.0(2.2)	17.8(3.7)
	1986	25.6(1.4)	27.9(2.1)	23.2(1.7)	28.0(1.7)	13.3(1.8)	26.1(5.1)
	1982	29.7(1.9)	33.3(2.2)	26.3(2.1)	30.8(2.2)	25.0(2.1)	31.2(8.8)
	1977	32.0(0.9)	35.6(1.6)	28.5(1.0)	33.6(1.1)	23.4(2.8)	25.2(5.3)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
World population growth	1999	21.7(1.6)	28.2(2.0)	15.7(1.8)	25.0(2.2)	7.5(1.9)	16.7(5.3)
	1996	19.0(1.3)	23.8(1.6)	14.1(1.8)	22.4(1.6)	9.3(1.3)	10.9(2.6)
	1994	18.6(1.2)	26.3(1.6)	11.5(1.2)	22.6(1.3)	5.9(1.5)	8.9(1.8)
	1992	17.7(1.1)	25.2(1.9)	10.1(0.9)	21.0(1.4)	6.2(1.2)	10.2(2.5)
	1990	17.8(1.0)	24.3(1.6)	12.1(1.1)	20.6(1.1)	10.3(1.9)	10.3(2.3)
	1986	19.3(1.7)	23.9(2.5)	14.7(1.5)	21.2(2.0)	10.4(2.0)	15.0(3.8)
	1982	18.9(1.0)	25.1(1.6)	13.1(1.1)	21.4(1.2)	8.4(1.9)	6.6(1.7)
	1977	22.4(1.2)	29.5(1.7)	15.4(1.3)	24.8(1.2)	9.1(1.6)	10.9(4.1)
Saving resources: Insulation	1999	64.8(1.7)	64.5(2.2)	65.1(1.9)	68.6(1.8)	52.8(2.9)	59.9(4.6)
	1996	71.8(1.3)	76.2(1.6)	67.4(1.7)	76.7(1.2)	63.5(2.5)	57.0(4.6)
	1994	77.4(1.1)	79.5(1.3)	75.6(1.4)	82.1(1.1)	65.9(3.5)	62.7(3.2)
	1992	77.1(1.0)	80.2(1.4)	74.1(1.7)	81.2(0.9)	68.9(2.8)	63.1(4.0)
	1990	74.0(1.2)	76.6(1.5)	71.8(1.4)	75.7(1.4)	71.2(2.4)	66.5(4.1)
	1986	82.9(1.2)	83.7(1.8)	82.1(1.6)	83.1(1.5)	84.0(2.6)	80.3(2.8)
	1982	90.0(1.0)	90.7(1.5)	89.2(1.2)	91.2(1.2)	84.0(2.1)	90.9(2.5)
	1977	94.2(0.5)	95.2(0.7)	93.2(0.7)	95.8(0.5)	86.8(1.8)	84.1(3.1)
Saving resources: Planting	1999	76.4(1.2)	77.1(1.5)	75.8(1.6)	78.0(1.2)	72.3(3.3)	71.7(3.5)
	1996	76.7(1.4)	75.4(1.8)	77.9(1.9)	79.6(1.9)	70.4(2.4)	71.1(4.4)
	1994	75.6(1.1)	76.8(1.6)	74.6(1.6)	79.8(1.1)	64.4(3.2)	60.5(4.9)
	1992	76.2(1.1)	77.2(1.4)	75.2(1.7)	78.3(1.2)	68.6(3.8)	73.7(3.5)
	1990	76.9(1.2)	79.8(1.4)	74.3(1.9)	80.4(1.3)	64.2(3.2)	70.0(4.5)
	1986	71.1(1.6)	74.5(1.9)	67.8(2.0)	74.7(2.1)	55.7(4.1)	62.3(4.7)
	1982	64.0(1.0)	64.3(1.6)	63.7(1.8)	66.9(1.2)	49.5(3.0)	57.5(6.9)
	1977	79.8(0.8)	82.6(0.9)	77.1(1.2)	82.5(0.7)	61.7(2.5)	77.3(2.9)
Saving resources: Throwaways	1999	76.3(1.4)	76.9(1.2)	75.7(2.0)	81.8(1.5)	57.5(2.8)	61.1(4.2)
	1996	76.6(0.9)	76.1(1.8)	77.2(1.7)	82.2(1.1)	62.9(2.9)	61.3(4.1)
	1994	74.8(1.2)	74.0(1.5)	75.7(1.7)	81.0(1.2)	53.0(3.3)	61.6(3.7)
	1992	74.6(1.2)	73.9(1.6)	75.4(1.7)	80.9(1.0)	58.2(4.2)	57.0(5.6)
	1990	73.0(1.2)	74.1(1.3)	72.0(1.7)	77.4(1.1)	58.1(3.0)	64.7(4.9)
	1986	67.2(1.3)	69.9(1.8)	64.4(1.4)	70.4(1.6)	55.3(2.4)	55.1(3.6)
	1982	68.7(1.5)	69.9(2.2)	67.5(2.0)	72.0(1.6)	50.6(1.7)	58.8(3.7)
	1977	72.9(0.8)	76.5(1.2)	69.4(1.0)	76.3(0.9)	52.8(2.7)	64.5(4.7)
Saving resources: Lawns	1999	64.6(1.3)	64.6(1.7)	64.7(1.9)	67.7(1.3)	53.4(3.0)	59.3(4.3)
	1996	66.6(1.5)	67.8(1.9)	65.5(1.8)	71.9(1.7)	52.6(2.7)	56.9(5.5)
	1994	68.5(1.5)	70.6(1.8)	66.6(1.8)	74.4(1.5)	50.6(2.7)	49.4(4.9)
	1992	69.2(1.4)	71.7(1.9)	66.7(1.9)	73.5(1.6)	53.4(3.3)	65.6(5.8)
	1990	67.8(1.6)	68.6(1.8)	67.2(2.1)	73.3(1.2)	47.8(3.9)	62.9(3.6)
	1986	69.4(1.6)	69.5(1.9)	69.3(1.9)	73.6(1.7)	50.6(3.6)	60.5(8.1)
	1982	71.0(1.3)	74.4(1.6)	67.4(1.6)	74.5(1.4)	53.3(3.1)	64.5(6.1)
	1977	63.4(1.4)	65.6(2.0)	61.2(1.8)	66.1(1.5)	45.3(3.2)	60.8(5.9)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Plate tectonics: Mountains	1999	77.0(1.2)	80.6(1.5)	73.7(1.4)	81.1(1.1)	55.4(3.6)	78.4(3.0)
	1996	78.3(1.3)	78.5(1.7)	78.1(1.8)	84.2(1.3)	62.3(3.5)	67.6(3.9)
	1994	76.0(1.4)	78.4(1.6)	74.0(1.7)	81.6(1.5)	58.1(4.1)	62.4(3.1)
	1992	74.9(1.5)	79.4(2.1)	70.4(1.8)	79.1(1.4)	58.9(4.1)	65.5(6.3)
	1990	73.8(1.6)	76.5(1.6)	71.4(2.2)	79.4(1.4)	51.2(3.5)	66.0(5.6)
	1986	72.5(1.3)	74.5(2.0)	70.5(1.5)	77.6(1.5)	49.8(3.1)	59.0(8.7)
	1982	69.4(1.5)	72.3(1.8)	66.4(2.3)	72.8(1.6)	50.1(3.3)	63.7(4.3)
	1977	79.1(1.0)	80.4(1.3)	77.8(1.3)	81.8(0.9)	59.4(2.6)	78.1(5.1)
Plate tectonics: Weather	1999	77.9(1.1)	80.4(1.3)	75.6(1.4)	82.3(1.1)	63.1(2.4)	70.7(6.1)
	1996	75.9(1.5)	78.7(1.9)	73.0(1.9)	81.2(1.5)	65.6(2.9)	62.6(5.0)
	1994	77.9(1.3)	80.3(1.5)	75.9(1.8)	84.1(1.0)	59.7(2.8)	59.1(5.4)
	1992	77.0(1.2)	80.3(1.5)	73.7(1.4)	80.9(1.2)	66.6(3.7)	65.9(4.7)
	1990	76.8(1.5)	78.5(1.6)	75.3(2.1)	82.9(1.2)	58.6(4.7)	60.0(4.5)
	1986	73.9(1.6)	75.1(2.0)	72.6(1.6)	78.3(1.5)	55.1(4.9)	63.8(7.3)
	1982	72.0(1.3)	75.8(1.6)	68.1(1.7)	75.7(1.6)	57.7(2.3)	54.1(4.1)
	1977	65.6(1.2)	69.1(1.5)	62.2(1.7)	69.6(1.3)	41.3(2.0)	53.0(3.1)
Plate tectonics: Earthquakes	1999	91.0(0.8)	91.6(1.1)	90.3(1.0)	92.7(0.8)	81.0(2.2)	94.7(2.5)
	1996	91.1(0.7)	90.6(1.3)	91.6(1.0)	95.1(0.6)	81.8(2.1)	80.1(3.6)
	1994	90.8(0.9)	90.7(1.2)	90.9(1.1)	94.2(0.7)	83.4(2.6)	77.7(5.0)
	1992	90.9(0.7)	91.3(0.9)	90.5(1.1)	93.2(0.7)	83.2(2.1)	86.4(3.0)
	1990	90.3(1.0)	88.9(1.5)	91.5(1.0)	92.7(0.8)	80.7(4.6)	88.4(2.4)
	1986	88.8(0.9)	89.9(1.7)	87.8(1.2)	92.0(0.9)	72.7(3.0)	84.8(6.0)
	1982	89.1(0.9)	89.4(1.3)	88.9(1.1)	91.1(0.9)	78.5(2.4)	84.5(4.5)
	1977	91.2(0.6)	91.9(0.8)	90.6(0.8)	93.3(0.5)	77.8(2.1)	85.1(4.8)
Plate tectonics: Continents	1999	86.0(1.4)	86.5(1.6)	85.6(1.7)	90.8(1.1)	66.0(3.3)	81.4(4.6)
	1996	85.6(0.9)	86.2(1.2)	84.9(1.4)	91.8(0.7)	72.4(2.6)	70.2(3.9)
	1994	84.9(1.3)	86.2(1.7)	83.7(1.3)	89.9(1.3)	70.3(3.9)	71.9(5.6)
	1992	84.9(1.1)	87.8(1.1)	82.0(1.5)	89.1(0.9)	69.6(3.8)	79.1(4.0)
	1990	83.2(1.3)	83.4(1.5)	83.1(1.8)	88.5(0.9)	64.1(3.3)	72.8(4.2)
	1986	80.9(1.3)	82.6(1.8)	79.3(1.5)	85.8(1.4)	61.1(3.9)	64.9(6.1)
	1982	76.7(1.6)	78.7(1.9)	74.7(2.3)	81.2(1.5)	54.5(3.8)	60.9(5.9)
	1977	80.9(1.3)	80.8(1.3)	81.0(1.5)	85.8(0.9)	54.0(3.0)	59.5(3.7)
Plate tectonics: Moon	1999	86.6(1.2)	87.5(1.4)	85.7(1.4)	91.2(1.2)	70.6(3.0)	76.8(3.9)
	1996	83.1(1.2)	84.3(2.0)	81.8(1.4)	87.8(1.5)	75.2(2.4)	66.6(5.9)
	1994	84.9(1.2)	85.2(1.3)	84.7(1.3)	90.0(1.0)	69.8(3.3)	67.8(4.7)
	1992	84.9(1.2)	86.5(1.4)	83.2(1.7)	88.3(1.1)	73.5(4.3)	78.8(5.1)
	1990	83.2(1.4)	82.1(1.6)	84.1(1.7)	88.5(1.0)	63.6(3.8)	75.8(4.1)
	1986	81.0(1.6)	81.0(2.4)	81.0(1.4)	85.1(1.3)	61.6(6.8)	76.5(5.5)
	1982	84.1(1.1)	84.1(1.4)	84.1(1.4)	87.6(1.0)	66.6(2.9)	73.7(3.6)
	1977	73.3(1.0)	72.1(1.3)	74.5(1.3)	76.4(1.2)	55.7(2.4)	59.4(3.4)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Components of solar system	1999	81.3(1.0)	82.2(1.6)	80.4(1.3)	82.6(1.2)	73.1(2.6)	83.6(2.6)
	1996	83.6(1.1)	85.1(1.5)	82.1(1.4)	84.9(1.3)	82.6(3.0)	74.6(3.4)
	1994	79.2(1.1)	84.3(1.5)	74.6(1.5)	80.6(1.2)	73.8(3.5)	76.4(4.5)
	1992	77.9(1.4)	82.4(1.5)	73.4(1.8)	81.0(1.4)	61.6(3.7)	80.7(3.8)
	1990	72.4(1.3)	76.0(1.5)	69.3(1.5)	74.4(1.5)	63.7(2.9)	70.5(3.2)
	1986	72.7(1.8)	79.9(1.7)	65.5(2.6)	75.8(2.0)	57.8(4.3)	68.5(3.4)
	1982	69.7(1.5)	75.2(1.7)	64.5(1.7)	73.2(1.6)	53.3(4.0)	55.3(4.9)
	1977	78.3(0.9)	83.1(1.1)	73.7(1.3)	80.7(1.0)	62.9(2.1)	76.9(3.4)
Weather: Wind speed	1999	93.9(0.8)	93.9(0.7)	93.9(1.1)	95.5(0.7)	88.8(2.2)	88.6(4.2)
	1996	92.8(0.8)	92.0(1.2)	93.6(1.3)	96.3(0.7)	85.8(2.4)	85.7(2.8)
	1994	93.2(0.8)	91.1(1.1)	95.3(0.8)	96.1(0.5)	84.8(2.2)	85.3(3.8)
	1992	93.2(0.8)	92.6(1.1)	93.7(1.2)	95.6(0.4)	85.2(2.9)	90.7(3.7)
	1990	92.9(1.0)	91.5(1.4)	94.2(0.9)	95.4(0.7)	85.7(3.2)	83.0(4.9)
	1986	92.8(1.2)	91.1(1.6)	94.5(1.2)	94.8(0.9)	82.4(5.5)	89.6(2.3)
	1982	84.7(1.2)	85.1(1.3)	84.4(1.7)	87.6(1.1)	68.4(2.5)	79.5(4.4)
	1977	94.0(0.7)	94.7(0.7)	93.2(0.9)	95.3(0.6)	85.7(2.6)	90.6(2.4)
Weather: Sunrise	1999	66.2(1.6)	65.0(2.2)	67.3(1.7)	68.0(1.7)	63.4(3.2)	62.1(4.0)
	1996	61.4(1.7)	59.2(2.7)	63.8(1.5)	62.8(2.5)	60.3(2.8)	58.0(5.7)
	1994	61.1(1.7)	56.5(2.4)	65.5(1.9)	63.3(2.0)	56.1(3.5)	45.2(5.1)
	1992	63.1(1.5)	62.2(2.0)	64.0(2.0)	63.2(1.5)	62.1(2.1)	67.8(5.2)
	1990	63.1(1.2)	59.7(1.6)	66.1(1.6)	65.8(1.1)	54.5(4.1)	54.4(3.9)
	1986	61.7(1.3)	62.9(1.7)	60.5(1.9)	63.5(1.4)	51.5(2.6)	54.7(3.8)
	1982	50.7(1.6)	51.3(1.7)	50.1(2.0)	50.3(2.0)	51.9(2.7)	55.1(5.7)
	1977	56.2(1.4)	53.0(1.6)	59.4(1.8)	57.4(1.5)	48.1(3.1)	49.5(4.4)
Weather: Rainfall	1999	84.4(1.1)	85.7(1.3)	83.3(1.3)	87.8(1.0)	74.6(2.7)	73.9(4.1)
	1996	86.2(0.9)	86.5(1.0)	85.9(1.4)	91.0(0.8)	72.0(2.7)	77.9(4.4)
	1994	84.8(1.2)	85.6(1.7)	84.4(1.3)	89.0(1.0)	77.0(2.1)	65.4(6.6)
	1992	85.4(1.0)	85.2(1.3)	85.5(1.4)	89.3(0.8)	69.2(3.4)	84.0(4.0)
	1990	84.0(1.5)	84.7(1.7)	83.4(1.7)	88.4(1.0)	73.9(3.7)	67.1(5.9)
	1986	84.9(1.0)	85.9(1.4)	83.9(1.3)	87.8(0.9)	74.3(3.4)	75.7(4.5)
	1982	82.2(1.4)	83.1(1.5)	81.4(1.8)	86.7(1.2)	58.2(2.1)	73.3(8.2)
	1977	89.9(0.7)	90.8(0.9)	89.1(0.8)	92.3(0.6)	75.7(3.1)	84.0(3.1)
Weather: Humidity	1999	90.2(0.9)	90.6(1.0)	89.9(1.3)	92.7(0.8)	80.3(2.0)	86.5(2.9)
	1996	88.6(0.9)	86.1(1.1)	91.0(1.4)	92.2(0.9)	78.0(2.8)	82.3(3.0)
	1994	89.7(0.9)	88.5(1.6)	90.9(0.9)	92.1(0.8)	81.9(2.4)	80.9(3.7)
	1992	90.4(0.8)	89.2(1.1)	91.6(1.0)	92.9(0.8)	82.9(2.8)	86.4(2.5)
	1990	90.1(0.8)	88.5(1.1)	91.6(1.0)	93.2(0.7)	81.3(3.0)	81.2(3.4)
	1986	90.4(0.8)	88.6(1.0)	92.1(1.0)	92.0(1.0)	83.6(3.0)	82.8(2.4)
	1982	78.5(1.2)	80.9(1.6)	76.3(1.6)	82.1(1.1)	62.8(2.3)	62.9(4.5)
	1977	89.4(0.6)	89.1(0.9)	89.7(0.9)	91.2(0.7)	80.2(1.9)	78.2(3.9)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Weather: First day of spring	1999	65.5(1.8)	65.1(2.4)	66.0(1.8)	68.8(2.1)	50.9(3.2)	64.1(3.7)
	1996	65.3(1.4)	63.7(2.1)	66.9(1.5)	68.2(1.9)	59.5(2.6)	60.8(2.2)
	1994	67.4(1.6)	68.4(2.1)	66.5(1.8)	71.3(1.7)	55.1(3.8)	53.8(4.1)
	1992	71.8(1.3)	73.8(1.8)	69.8(1.7)	73.4(1.4)	64.8(4.9)	72.6(3.6)
	1990	71.0(1.3)	70.4(1.6)	71.5(1.7)	75.6(1.1)	55.4(3.6)	58.4(4.4)
	1986	68.1(1.3)	70.3(1.6)	65.9(1.8)	71.0(1.6)	57.0(5.3)	58.8(4.7)
	1982	62.6(1.4)	64.0(1.9)	61.3(1.8)	64.3(1.6)	57.9(2.3)	52.6(4.5)
	1977	68.2(1.0)	69.1(1.5)	67.4(1.6)	70.7(1.0)	56.4(2.4)	51.5(4.9)
Weather: Average temperature	1999	72.3(1.2)	70.8(1.7)	73.6(1.4)	74.6(1.1)	65.8(3.0)	64.1(4.7)
	1996	71.0(1.5)	69.7(1.7)	72.3(2.2)	73.1(1.8)	66.2(2.9)	65.7(3.7)
	1994	69.4(1.2)	69.9(1.8)	69.1(1.7)	72.6(1.5)	61.1(2.6)	59.1(4.5)
	1992	67.4(1.3)	67.5(1.8)	67.2(1.6)	71.5(1.4)	57.4(3.3)	57.8(5.4)
	1990	65.6(1.5)	65.8(2.2)	65.4(1.8)	68.5(1.4)	61.1(4.2)	52.7(5.1)
	1986	64.8(1.4)	65.9(1.9)	63.6(1.6)	67.0(1.7)	58.5(3.3)	51.7(2.3)
	1982	62.5(1.2)	65.3(1.0)	59.8(1.9)	65.0(1.4)	48.2(2.8)	54.6(3.5)
	1977	71.8(0.9)	73.3(1.3)	70.3(1.2)	74.0(0.9)	59.8(3.9)	61.2(4.4)
Communicating on the moon	1999	72.2(1.0)	80.8(1.5)	64.4(1.6)	72.8(1.3)	66.0(2.9)	74.4(3.9)
	1996	70.4(1.3)	77.5(2.0)	63.2(2.3)	73.0(1.7)	64.6(2.8)	64.3(5.3)
	1994	72.6(1.3)	81.6(1.7)	64.0(1.7)	75.7(1.2)	65.2(3.3)	64.0(4.3)
	1992	70.7(1.6)	79.8(1.7)	61.5(2.3)	72.1(1.8)	65.1(3.1)	70.1(3.2)
	1990	68.0(1.1)	78.1(1.3)	59.0(1.5)	70.3(1.2)	58.3(3.0)	71.8(4.3)
	1986	69.8(1.3)	78.7(1.3)	60.7(1.9)	71.3(1.3)	62.2(3.4)	66.9(5.1)
	1982	68.0(1.8)	75.8(2.5)	59.8(2.1)	70.5(1.9)	50.2(3.6)	70.9(5.9)
	1977	69.5(1.2)	78.6(1.3)	60.4(1.7)	71.5(1.1)	57.2(3.1)	59.0(8.7)
Half life	1999	61.9(2.1)	66.1(2.1)	58.1(2.4)	64.3(2.2)	52.5(3.9)	60.5(4.6)
	1996	63.5(1.4)	66.0(1.9)	60.9(1.8)	64.9(1.7)	59.3(3.0)	61.7(3.5)
	1994	66.4(1.6)	68.5(1.9)	64.4(1.8)	69.3(1.7)	57.5(3.2)	56.4(3.5)
	1992	67.9(1.3)	70.2(1.9)	65.7(2.1)	71.0(1.7)	56.9(4.9)	63.9(4.8)
	1990	66.1(1.4)	68.1(1.3)	64.3(2.0)	68.4(1.5)	56.8(4.3)	63.5(2.9)
	1986	66.5(1.5)	68.2(1.9)	64.7(1.8)	67.6(1.4)	60.8(5.9)	66.2(2.9)
	1982	58.8(1.8)	62.8(2.1)	55.2(2.2)	58.8(1.9)	59.3(4.6)	66.0(6.9)
	1977	59.8(1.3)	62.2(1.6)	57.4(1.8)	60.8(1.6)	51.9(2.8)	55.8(5.9)
Speed of light and sound	1999	32.5(1.5)	36.1(1.9)	29.3(2.0)	36.7(1.6)	17.9(2.5)	20.7(4.1)
	1996	32.8(1.2)	38.3(1.5)	27.1(1.7)	36.8(1.5)	23.2(2.3)	23.6(4.3)
	1994	33.2(1.6)	37.6(2.2)	28.9(2.0)	36.7(2.1)	23.2(3.2)	22.9(4.5)
	1992	33.0(1.4)	38.2(1.7)	27.9(1.9)	37.7(1.5)	17.3(2.7)	17.7(4.7)
	1990	30.8(1.2)	36.3(1.8)	25.9(1.7)	33.8(1.2)	23.0(3.3)	19.0(3.1)
	1986	30.4(1.7)	38.0(2.8)	22.7(1.3)	33.0(2.1)	16.6(2.5)	21.5(5.8)
	1982	30.4(1.7)	38.0(2.8)	22.7(1.3)	33.0(2.1)	16.6(2.5)	21.5(5.8)
	1977	31.1(1.2)	38.1(1.3)	24.3(1.4)	33.9(1.3)	15.8(2.0)	18.2(4.3)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Angle of reflection	1999	59.7(1.4)	69.0(2.1)	51.2(2.1)	64.4(1.5)	45.3(3.1)	47.7(5.4)
	1996	61.3(1.4)	69.4(2.1)	52.8(2.0)	66.8(1.7)	48.0(2.2)	48.6(4.6)
	1994	64.1(2.1)	74.4(1.6)	54.4(2.8)	68.4(2.2)	49.4(3.8)	51.8(4.3)
	1992	62.2(1.5)	72.5(1.5)	51.9(1.8)	64.7(1.6)	51.9(4.1)	59.6(4.6)
	1990	58.6(1.2)	70.6(1.6)	47.9(1.7)	61.3(1.3)	51.4(3.5)	47.7(3.6)
	1986	58.1(2.0)	68.4(2.3)	47.8(2.6)	59.6(2.3)	49.6(5.1)	56.6(4.2)
	1982	57.8(1.7)	67.0(2.3)	49.6(2.1)	60.4(2.0)	44.3(3.2)	48.9(2.9)
	1977	55.7(1.1)	66.2(1.4)	45.5(1.5)	57.8(1.3)	43.6(2.4)	48.0(3.0)
Earth's crust: Oldest layers	1999	55.4(1.5)	57.9(1.9)	53.1(2.0)	58.7(1.7)	39.8(3.3)	54.2(5.7)
	1996	56.4(2.0)	55.7(2.4)	57.3(2.2)	57.9(2.2)	50.9(3.2)	56.1(4.4)
	1994	53.9(1.4)	53.2(1.9)	54.6(2.0)	57.9(1.3)	41.9(3.5)	39.9(5.0)
	1992	51.7(1.3)	52.1(2.0)	51.3(1.7)	53.9(1.6)	44.1(3.5)	47.3(4.9)
	1990	54.2(1.3)	55.0(1.8)	53.5(1.6)	58.1(1.2)	44.0(4.1)	43.2(4.3)
	1986	51.1(2.3)	48.1(2.5)	54.2(2.8)	53.6(2.6)	37.9(4.3)	52.0(3.4)
	1982	47.6(1.4)	45.1(1.7)	50.2(1.8)	49.9(1.5)	32.9(2.3)	46.1(5.6)
	1977	47.6(1.4)	45.1(1.7)	50.2(1.8)	49.9(1.5)	32.9(2.3)	46.1(5.6)
Earth's crust: Curved layers	1999	52.4(1.4)	58.0(2.0)	47.3(1.8)	54.5(1.3)	39.1(2.6)	57.6(5.0)
	1996	50.8(1.6)	58.2(2.1)	43.0(1.9)	52.8(1.9)	45.8(2.6)	47.2(4.1)
	1994	48.4(1.8)	54.5(2.2)	42.9(2.2)	50.4(2.5)	39.3(3.0)	45.3(3.8)
	1992	50.6(1.4)	56.4(1.6)	44.9(1.8)	52.0(1.6)	38.7(2.9)	60.9(5.4)
	1990	48.3(1.3)	55.4(1.8)	42.0(1.7)	50.4(1.3)	39.2(3.3)	47.1(4.6)
	1986	50.8(1.3)	59.3(2.1)	42.2(2.0)	51.0(1.4)	47.6(2.7)	55.1(4.8)
	1982	48.7(1.4)	56.1(1.5)	41.4(1.7)	49.7(1.6)	41.4(2.4)	49.8(3.8)
	1977	48.7(1.4)	56.1(1.5)	41.4(1.7)	49.7(1.6)	41.4(2.4)	49.8(3.8)
Discovery: Computers	1999	68.0(1.7)	69.1(1.6)	67.0(2.5)	71.5(1.9)	57.4(4.3)	57.9(4.9)
	1996	70.2(1.0)	68.9(1.6)	71.5(1.8)	76.2(1.1)	55.4(3.4)	56.6(5.0)
	1994	69.9(1.2)	70.4(1.8)	69.3(1.7)	73.5(1.3)	62.1(2.9)	55.0(4.6)
	1992	69.8(1.2)	73.0(1.7)	66.5(2.1)	71.9(1.4)	61.8(3.6)	66.6(3.7)
	1990	70.8(1.3)	74.9(1.6)	67.1(1.9)	72.7(1.3)	63.8(2.9)	68.6(4.8)
	1986	72.5(1.2)	75.9(1.6)	69.0(1.4)	75.0(1.4)	63.5(4.4)	66.2(3.6)
	1982	67.3(1.3)	72.4(1.2)	62.7(2.0)	69.8(1.5)	55.5(2.8)	56.7(4.2)
	1977	69.4(1.4)	76.8(1.5)	61.8(2.0)	70.0(1.6)	63.3(2.9)	72.9(3.6)
Discovery: Space	1999	60.4(1.4)	59.7(2.1)	61.1(1.6)	63.8(1.6)	49.6(2.8)	51.9(4.9)
	1996	56.3(1.6)	56.9(1.7)	55.7(2.7)	57.8(2.1)	51.9(3.5)	50.5(3.9)
	1994	55.4(1.3)	55.9(1.4)	54.9(1.7)	57.5(1.4)	51.4(3.1)	44.5(3.9)
	1992	58.2(1.1)	58.0(1.8)	58.4(1.7)	59.8(1.4)	52.8(4.4)	54.5(6.2)
	1990	57.1(1.5)	58.5(2.2)	55.8(1.7)	58.3(1.6)	55.6(2.7)	48.8(4.5)
	1986	52.9(1.7)	54.9(2.2)	51.0(2.5)	53.2(1.8)	52.5(3.1)	56.3(5.2)
	1982	46.7(1.7)	47.3(1.9)	46.2(2.3)	47.3(2.0)	43.0(3.0)	51.1(5.2)
	1977	56.6(1.7)	60.1(1.4)	53.0(2.8)	57.9(2.0)	50.8(3.1)	45.3(4.8)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Discovery: Plastics	1999	67.9(1.5)	68.0(2.1)	67.8(1.7)	72.2(1.9)	52.2(2.7)	56.9(5.9)
	1996	65.9(1.3)	63.2(1.8)	68.6(1.7)	70.9(1.1)	52.1(3.4)	57.1(4.1)
	1994	66.3(1.5)	67.6(2.0)	64.9(2.1)	70.2(1.4)	55.8(4.4)	51.3(4.6)
	1992	67.8(1.3)	70.8(1.7)	64.7(1.8)	70.8(1.3)	58.9(4.9)	59.5(5.8)
	1990	66.8(1.5)	69.7(1.9)	64.2(1.9)	71.4(1.5)	53.7(3.0)	57.8(4.6)
	1986	68.0(1.5)	67.8(1.8)	68.2(2.0)	71.4(1.9)	52.4(3.9)	60.3(4.4)
	1982	68.4(1.5)	70.8(2.1)	66.2(1.9)	71.2(1.6)	54.8(3.1)	61.6(6.0)
	1977	69.0(1.4)	69.7(1.7)	68.3(2.0)	71.9(1.4)	52.9(3.5)	62.8(6.2)
Discovery: Lasers	1999	88.8(0.7)	88.0(1.0)	89.5(1.0)	90.4(0.8)	81.2(2.0)	88.1(2.5)
	1996	88.6(1.0)	88.2(1.6)	88.9(1.1)	91.7(1.0)	80.8(2.1)	82.5(3.6)
	1994	88.8(1.1)	87.6(1.3)	90.0(1.3)	92.8(0.7)	78.6(2.9)	72.7(6.8)
	1992	88.0(0.8)	88.2(1.1)	87.8(0.8)	90.9(0.7)	78.2(3.5)	83.6(5.7)
	1990	85.9(1.3)	87.1(1.4)	84.9(1.7)	89.5(1.1)	78.9(3.3)	76.3(3.5)
	1986	86.7(0.8)	87.6(1.7)	85.9(0.9)	90.0(0.9)	72.5(3.3)	82.3(2.6)
	1982	77.6(1.3)	79.9(1.7)	75.6(1.7)	81.4(1.4)	58.0(2.6)	65.3(3.5)
	1977	64.3(1.3)	67.7(2.0)	60.9(1.5)	66.1(1.4)	51.2(3.5)	69.1(4.9)
Effect of clearing forests	1999	39.9(1.3)	41.3(1.8)	38.6(1.6)	44.9(1.5)	31.1(2.1)	17.1(3.4)
	1996	42.5(1.2)	47.5(1.6)	37.4(1.9)	49.3(1.5)	25.9(3.1)	31.4(2.3)
	1994	42.7(1.6)	48.2(2.2)	37.7(1.6)	48.4(1.8)	29.3(2.9)	23.8(3.6)
	1992	40.3(1.2)	42.8(1.8)	37.8(1.5)	45.9(1.6)	24.8(2.7)	21.3(4.5)
	1990	39.6(1.6)	43.7(2.1)	35.9(1.8)	45.0(1.4)	22.4(3.2)	22.9(4.7)
	1986	46.1(1.5)	52.3(2.5)	39.7(1.8)	50.5(1.7)	27.9(2.3)	34.9(4.7)
	1982	53.0(1.4)	58.6(2.0)	47.6(1.4)	58.9(1.6)	28.2(2.1)	24.7(5.9)
	1977	60.2(1.4)	64.5(1.5)	55.9(1.9)	66.1(1.2)	31.8(3.7)	24.9(7.1)
Cause of seasons	1999	33.7(1.4)	38.8(2.1)	29.1(1.5)	36.9(1.8)	22.5(1.8)	28.3(4.3)
	1996	32.9(1.9)	36.6(2.4)	29.2(2.0)	36.4(2.4)	21.5(2.9)	27.7(4.0)
	1994	30.7(1.0)	35.7(1.5)	26.1(1.3)	33.3(1.1)	23.7(2.3)	19.9(4.9)
	1992	29.7(1.2)	36.5(1.6)	22.8(1.6)	31.9(1.8)	18.9(2.7)	32.0(3.6)
	1990	26.2(1.4)	30.9(1.7)	21.9(1.6)	27.8(1.5)	20.0(3.2)	22.3(3.3)
	1986	26.5(1.7)	32.9(2.6)	20.0(1.4)	28.3(1.9)	15.7(3.0)	25.5(3.5)
	1977	26.9(0.9)	30.7(1.3)	23.2(1.4)	28.7(1.1)	16.1(1.8)	23.9(5.0)
Product Z: Arthritis	1999	79.4(0.9)	78.0(1.2)	81.0(1.3)	85.2(0.9)	60.2(2.7)	69.7(3.2)
	1996	80.8(0.9)	78.9(1.1)	82.7(1.2)	85.6(1.0)	62.5(3.2)	68.6(4.7)
	1994	76.1(1.3)	74.2(1.7)	78.3(1.3)	81.5(1.3)	60.6(3.9)	66.5(4.3)
	1992	76.1(1.2)	73.5(1.6)	78.8(1.3)	80.5(1.2)	57.2(3.1)	70.7(3.7)
	1990	76.9(1.5)	76.2(1.9)	77.6(1.4)	82.9(1.2)	59.4(4.7)	57.8(5.0)
	1986	76.2(1.3)	76.1(1.8)	76.4(1.5)	81.2(1.4)	58.0(3.1)	60.9(6.9)
	1982	69.4(1.1)	68.1(1.7)	70.8(1.5)	75.4(1.0)	41.3(3.1)	46.5(3.2)
	1977	76.7(1.1)	73.2(1.9)	80.2(1.2)	81.5(1.0)	47.5(3.1)	62.9(4.2)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Product Z: Harm	1999	90.4(0.9)	89.2(1.0)	91.8(1.2)	92.9(1.0)	77.9(2.1)	91.8(2.1)
	1996	89.7(0.6)	89.4(0.9)	90.1(0.9)	92.3(0.7)	79.0(2.9)	86.3(2.6)
	1994	86.4(1.1)	85.4(1.4)	88.0(1.5)	89.7(1.1)	76.4(3.1)	79.3(5.4)
	1992	89.0(0.8)	87.0(1.3)	91.2(0.9)	91.5(0.7)	79.9(2.9)	80.9(3.2)
	1990	88.8(0.9)	87.7(1.2)	89.9(1.2)	91.9(0.7)	76.7(2.9)	83.5(3.6)
	1986	88.6(0.8)	88.2(1.2)	89.0(1.1)	90.3(1.0)	83.0(2.4)	79.3(3.2)
	1982	90.8(0.9)	88.3(1.4)	93.3(1.1)	92.8(0.8)	79.1(3.2)	89.5(2.5)
	1977	87.9(0.9)	86.6(1.4)	89.3(0.8)	90.8(0.8)	70.0(2.8)	82.1(3.5)
Product Z: Pain relief	1999	91.5(0.7)	89.3(1.1)	93.9(1.0)	93.3(0.8)	86.5(2.4)	86.0(2.6)
	1996	92.6(0.6)	91.5(1.0)	93.7(0.8)	94.0(0.8)	91.7(1.3)	85.0(2.4)
	1994	90.6(0.8)	89.4(1.2)	92.1(0.9)	92.4(0.9)	87.2(1.8)	85.3(2.3)
	1992	91.6(0.8)	90.1(1.1)	93.2(1.0)	93.7(0.7)	83.7(3.3)	85.7(3.2)
	1990	91.9(0.8)	89.4(1.2)	94.3(0.7)	93.2(0.6)	89.2(1.6)	81.2(6.1)
	1986	93.0(0.6)	91.5(1.0)	94.3(1.1)	94.2(0.6)	90.4(1.6)	81.9(6.2)
	1982	90.9(0.9)	88.5(1.2)	93.3(1.0)	93.3(0.6)	79.7(3.1)	82.6(5.4)
	1977	91.0(0.6)	88.3(0.9)	93.7(0.7)	93.5(0.4)	74.8(2.8)	87.3(2.8)
Product Z: Feel better	1999	91.0(0.7)	89.4(1.0)	92.9(0.9)	94.2(0.8)	78.7(2.0)	87.6(3.0)
	1996	90.8(0.7)	89.1(1.1)	92.4(0.9)	93.7(0.6)	82.5(2.5)	81.1(3.6)
	1994	90.2(0.8)	89.3(1.0)	91.6(1.1)	93.2(1.0)	83.5(2.2)	81.1(4.1)
	1992	91.7(0.7)	89.9(1.0)	93.6(0.9)	93.3(0.7)	87.0(2.3)	84.5(3.2)
	1990	91.3(0.9)	89.8(0.9)	92.8(1.2)	93.8(0.6)	81.2(2.6)	87.3(4.9)
	1986	90.5(0.7)	88.7(1.3)	92.2(0.9)	92.8(0.8)	82.6(1.9)	79.8(3.9)
	1982	91.4(0.7)	89.4(1.1)	93.5(0.8)	94.2(0.7)	76.8(2.6)	87.5(2.8)
	1977	89.0(0.8)	87.3(1.3)	90.7(0.9)	92.2(0.7)	69.1(2.7)	80.0(2.9)
Reading a pressure gauge	1999	86.8(0.8)	88.5(0.9)	85.2(1.1)	89.6(0.7)	75.3(2.8)	83.0(4.0)
	1996	84.6(1.0)	86.9(1.2)	82.2(1.4)	87.6(1.0)	79.1(2.7)	76.3(4.0)
	1994	84.1(0.9)	84.9(1.3)	83.5(1.1)	86.5(1.0)	74.4(3.1)	83.3(3.0)
	1992	85.0(0.8)	87.8(1.2)	82.2(1.1)	87.9(0.8)	74.9(3.0)	83.5(3.6)
	1990	80.5(1.0)	81.6(1.3)	79.6(1.3)	84.2(0.9)	68.4(2.9)	71.2(4.7)
	1986	80.7(1.1)	83.5(1.5)	77.8(1.5)	84.6(1.1)	62.8(4.5)	72.3(2.9)
	1982	78.9(1.2)	83.1(1.5)	74.6(1.7)	82.2(1.3)	62.4(3.8)	69.4(4.6)
	1977	75.0(0.9)	79.1(1.1)	71.0(1.3)	78.8(0.8)	53.4(3.2)	57.3(3.0)
Rain and corn growth	1999	74.6(1.2)	75.3(1.5)	74.1(1.6)	79.4(1.2)	54.5(2.0)	68.8(5.8)
	1996	71.8(1.3)	73.4(1.7)	70.3(1.8)	74.9(1.5)	54.8(3.8)	66.5(4.2)
	1994	68.6(1.2)	71.4(1.7)	65.9(1.7)	73.3(1.3)	51.9(4.4)	57.8(4.1)
	1992	68.6(1.2)	68.8(1.6)	68.5(1.6)	72.4(1.4)	55.3(2.4)	51.5(5.5)
	1990	68.0(1.4)	70.5(2.0)	65.5(1.7)	70.2(1.4)	58.7(4.3)	61.0(7.5)
	1986	66.4(1.2)	68.7(1.7)	64.3(1.9)	69.8(1.2)	53.4(3.5)	53.7(4.6)
	1982	70.3(1.3)	70.3(1.8)	70.3(2.0)	72.9(1.6)	55.5(3.2)	67.4(3.6)
	1977	69.2(1.3)	70.6(1.5)	67.7(1.6)	72.7(1.2)	54.1(3.3)	47.9(4.1)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Food shortage: Birth rate	1999	87.0(0.9)	86.2(1.3)	88.2(1.2)	90.6(0.9)	70.5(2.7)	84.7(3.3)
	1996	84.6(0.7)	83.9(1.2)	85.4(1.0)	86.9(0.8)	77.5(2.6)	78.9(3.2)
	1994	85.3(0.9)	86.2(1.5)	84.5(1.1)	88.3(1.1)	72.8(3.5)	81.9(5.2)
	1992	84.9(1.3)	84.0(1.7)	85.8(1.1)	88.5(1.1)	69.9(5.1)	75.8(3.6)
	1990	83.8(0.9)	83.0(1.2)	84.6(1.3)	86.8(1.1)	73.7(3.4)	69.3(3.4)
	1986	84.9(1.2)	84.4(1.6)	85.3(1.6)	88.3(1.1)	73.9(3.7)	68.3(6.2)
	1982	84.3(1.3)	83.6(1.4)	85.1(1.6)	88.6(1.1)	64.6(3.5)	74.1(2.9)
	1977	94.2(0.6)	93.1(0.8)	95.2(0.7)	95.9(0.4)	85.4(2.3)	83.0(2.6)
Food shortage: Amount of food	1999	94.6(0.7)	93.7(0.9)	95.6(0.9)	96.1(0.8)	88.8(2.4)	92.1(3.0)
	1996	93.7(0.6)	92.7(0.9)	94.6(0.7)	96.1(0.6)	86.8(2.3)	85.7(3.1)
	1994	95.0(0.6)	94.3(0.7)	96.0(0.8)	96.4(0.7)	91.9(1.5)	90.2(3.1)
	1992	94.7(0.6)	92.6(0.9)	96.9(0.6)	96.1(0.6)	89.8(2.3)	90.6(2.8)
	1990	93.7(0.9)	91.9(1.3)	95.6(0.9)	96.0(0.7)	84.9(2.7)	87.7(4.0)
	1986	95.7(0.5)	95.4(0.9)	95.9(0.7)	96.8(0.5)	90.9(1.5)	94.0(1.8)
	1982	92.0(1.2)	92.2(1.1)	91.8(1.6)	94.3(1.3)	79.8(2.9)	92.1(1.8)
	1977	97.6(0.3)	97.0(0.4)	98.1(0.4)	98.6(0.2)	92.2(1.4)	93.4(2.0)
Food shortage: Markets	1999	66.6(1.4)	65.8(1.9)	67.5(1.6)	71.7(1.5)	47.1(2.6)	58.5(3.8)
	1996	68.2(1.5)	70.0(2.2)	66.5(2.1)	72.2(2.0)	51.2(3.9)	57.8(3.4)
	1994	64.0(1.5)	66.2(2.2)	62.0(1.5)	69.3(1.5)	47.6(3.5)	55.0(6.9)
	1992	66.4(1.2)	64.5(2.0)	68.4(1.6)	71.3(1.3)	49.5(4.1)	50.7(3.3)
	1990	68.0(1.4)	68.9(1.6)	67.0(1.7)	71.3(1.5)	57.6(4.1)	51.8(3.8)
	1986	74.8(1.2)	75.4(1.8)	74.2(1.6)	79.9(1.2)	58.0(3.1)	51.0(6.6)
	1982	71.2(1.1)	72.6(1.4)	69.9(1.4)	76.0(1.0)	48.0(3.7)	54.7(3.6)
	1977	78.2(1.1)	79.4(1.4)	77.0(1.3)	82.1(1.1)	55.6(3.0)	61.9(4.6)
Food shortage: Weather	1999	69.0(1.4)	68.8(1.7)	69.4(2.1)	74.1(1.5)	51.2(3.2)	59.8(6.3)
	1996	66.9(1.0)	68.8(1.5)	65.1(1.4)	70.2(1.3)	50.3(2.7)	62.9(2.8)
	1994	67.5(1.1)	68.2(1.6)	67.0(1.4)	70.5(1.2)	55.2(2.9)	62.9(6.3)
	1992	69.9(1.2)	72.2(1.6)	67.5(1.4)	72.5(1.2)	57.9(3.4)	65.8(4.5)
	1990	71.8(1.2)	72.3(1.8)	71.3(1.4)	76.1(1.4)	58.7(2.5)	55.1(6.0)
	1986	73.5(1.4)	72.3(1.9)	74.5(1.9)	77.2(1.4)	60.4(3.3)	57.7(4.8)
	1982	61.8(1.2)	62.1(1.6)	61.5(1.9)	66.1(1.2)	39.6(2.9)	49.3(4.5)
	1977	77.2(0.7)	77.2(1.4)	77.1(1.3)	79.8(0.8)	61.0(2.8)	74.8(3.6)
Volume equation	1999	85.4(1.3)	83.8(1.7)	86.9(1.4)	88.7(1.3)	72.9(4.0)	76.5(4.4)
	1996	84.3(1.2)	81.7(1.3)	87.0(1.6)	87.6(1.2)	76.4(2.4)	78.6(3.0)
	1994	84.4(1.3)	81.5(1.7)	87.3(1.5)	87.7(1.3)	76.8(2.2)	71.8(5.8)
	1992	85.8(0.9)	84.2(1.3)	87.3(1.3)	88.0(1.1)	78.7(3.4)	81.5(4.6)
	1990	84.2(1.3)	81.4(1.9)	86.8(1.4)	87.6(1.1)	73.8(4.2)	76.4(7.4)
	1986	83.2(1.2)	81.6(2.1)	84.7(1.3)	87.1(1.1)	69.2(4.2)	69.7(3.7)
	1982	75.0(1.3)	73.5(1.6)	76.5(1.7)	79.5(1.4)	57.3(3.6)	51.1(4.1)
	1977	68.2(1.5)	65.4(1.9)	70.9(1.7)	73.1(1.3)	40.9(3.1)	41.9(4.1)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Meaning of 20% chance of rain	1999	35.8(1.2)	40.0(1.4)	32.0(1.5)	42.2(1.2)	19.6(2.3)	19.5(4.4)
	1996	34.4(1.8)	38.2(2.6)	30.5(2.4)	41.1(2.2)	20.8(3.5)	18.8(3.1)
	1994	34.3(1.4)	38.9(2.1)	29.9(1.5)	39.0(1.6)	22.0(3.2)	16.6(4.3)
	1992	33.9(1.1)	38.4(1.9)	29.4(1.6)	38.2(1.3)	21.1(2.9)	24.6(4.8)
	1990	31.8(1.6)	34.7(1.8)	29.3(2.1)	37.2(1.7)	18.2(2.8)	15.9(3.3)
	1986	30.1(1.9)	36.2(2.6)	24.1(1.9)	34.1(2.1)	18.4(3.6)	11.3(3.4)
	1982	28.5(1.4)	34.3(2.5)	23.0(1.5)	31.6(1.6)	13.8(2.0)	18.9(5.1)
	1977	28.7(1.6)	33.2(1.9)	24.1(1.7)	31.0(1.6)	14.7(2.4)	20.0(5.7)
Poisons in food chains	1999	75.8(1.3)	79.5(1.5)	72.5(1.9)	80.1(1.3)	56.8(4.3)	69.1(4.7)
	1996	75.9(1.3)	77.6(1.8)	74.1(2.1)	81.6(1.5)	62.0(2.5)	64.4(2.8)
	1994	80.9(1.3)	82.2(1.5)	79.7(1.7)	86.2(1.3)	65.2(4.9)	64.9(4.2)
	1992	78.4(1.4)	82.9(1.7)	74.0(1.7)	84.0(1.2)	61.5(4.6)	64.3(7.3)
	1990	80.1(1.4)	81.3(1.8)	79.1(1.6)	85.1(0.8)	64.3(3.8)	73.5(4.6)
	1986	78.1(1.9)	81.6(2.5)	74.5(2.1)	82.5(2.2)	58.5(3.3)	67.3(4.8)
	1982	77.0(1.3)	76.4(1.3)	77.5(1.8)	79.2(1.3)	63.0(4.2)	72.4(4.3)
	1977	77.0(1.3)	76.4(1.3)	77.5(1.8)	79.2(1.3)	63.0(4.2)	72.4(4.3)
Inherited/learned: Smiling	1999	58.9(1.7)	63.8(1.8)	54.5(2.5)	57.2(1.9)	67.7(2.6)	56.8(4.6)
	1996	56.2(1.7)	59.6(2.1)	52.6(2.4)	54.0(1.8)	57.1(3.9)	63.0(5.3)
	1994	58.6(1.3)	63.3(1.6)	54.3(1.7)	59.1(1.6)	59.2(3.1)	53.5(3.1)
	1992	55.3(1.3)	59.6(1.5)	51.0(1.9)	55.7(1.5)	51.2(3.0)	60.4(3.7)
	1990	51.4(1.6)	52.2(2.2)	50.7(2.2)	50.6(1.9)	54.0(3.8)	56.0(3.8)
	1986	51.5(1.5)	57.0(2.2)	46.1(2.3)	47.4(1.7)	68.3(3.9)	65.9(4.9)
	1982	44.9(1.1)	48.1(1.9)	41.6(1.4)	42.5(1.2)	55.6(3.9)	57.4(4.9)
	1977	44.9(1.1)	48.1(1.9)	41.6(1.4)	42.5(1.2)	55.6(3.9)	57.4(4.9)
Inherited/learned: Swimming	1999	96.9(0.4)	96.9(0.6)	97.0(0.5)	97.8(0.4)	95.5(1.2)	92.5(2.3)
	1996	97.4(0.4)	96.5(0.6)	98.4(0.5)	98.0(0.5)	96.1(1.3)	95.2(2.0)
	1994	97.9(0.4)	97.3(0.6)	98.4(0.4)	98.2(0.4)	98.6(0.5)	94.7(2.1)
	1992	98.1(0.3)	97.5(0.5)	98.7(0.3)	98.6(0.3)	96.4(1.0)	98.7(0.7)
	1990	97.1(0.5)	95.8(1.0)	98.3(0.4)	98.3(0.3)	95.5(1.2)	88.4(3.7)
	1986	97.6(0.5)	96.4(0.9)	98.9(0.4)	97.5(0.6)	97.9(0.5)	98.9(0.9)
	1982	98.2(0.3)	97.6(0.5)	98.8(0.3)	98.1(0.3)	99.0(0.4)	96.3(2.1)
	1977	98.2(0.3)	97.6(0.5)	98.8(0.3)	98.1(0.3)	99.0(0.4)	96.3(2.1)
Inherited/learned: Writing	1999	90.2(0.8)	91.4(1.0)	89.1(1.3)	90.0(1.1)	90.7(1.7)	92.0(3.3)
	1996	90.7(0.8)	89.5(1.1)	92.0(1.1)	90.1(1.1)	92.0(1.2)	92.9(2.1)
	1994	91.9(0.8)	90.7(1.1)	93.1(0.9)	92.0(0.9)	92.1(1.5)	90.5(2.3)
	1992	91.6(0.7)	90.4(1.0)	92.8(0.9)	91.9(0.7)	93.1(1.7)	87.8(5.2)
	1990	92.1(0.8)	90.5(1.1)	93.4(0.9)	92.4(0.9)	89.6(1.8)	91.3(2.9)
	1986	93.4(0.8)	93.8(0.9)	93.0(1.1)	93.6(0.9)	93.1(1.1)	94.1(1.9)
	1982	93.0(0.6)	93.4(0.7)	92.6(0.9)	93.4(0.7)	89.3(2.2)	94.1(2.6)
	1977	93.0(0.6)	93.4(0.7)	92.6(0.9)	93.4(0.7)	89.3(2.2)	94.1(2.6)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Inherited/learned: Breathing	1999	82.1(1.2)	84.5(1.8)	79.9(1.8)	82.9(1.4)	82.0(2.4)	76.0(4.5)
	1996	82.0(1.4)	83.2(1.6)	80.8(1.8)	84.1(1.7)	78.2(2.8)	72.7(3.8)
	1994	83.3(1.1)	85.3(1.2)	81.7(1.5)	86.6(1.2)	74.7(2.4)	68.1(3.2)
	1992	82.6(0.8)	83.4(1.4)	81.8(1.3)	83.8(1.0)	78.4(1.9)	79.5(3.9)
	1990	82.3(0.9)	83.4(1.3)	81.3(1.4)	83.9(0.8)	76.4(3.4)	81.4(3.0)
	1986	82.8(1.3)	84.0(1.9)	81.6(1.4)	84.7(1.5)	73.5(2.5)	82.1(3.4)
	1977	84.8(1.0)	85.4(1.2)	84.1(1.3)	85.3(1.2)	80.8(2.0)	84.0(4.8)
Why publish: Share findings	1999	84.3(1.0)	82.3(1.4)	86.0(1.2)	86.4(0.8)	75.8(2.3)	80.9(5.3)
	1996	84.8(0.9)	84.0(1.2)	85.6(1.2)	86.8(1.0)	79.8(2.8)	79.1(2.5)
	1994	83.7(1.1)	81.3(1.6)	86.1(1.4)	86.7(1.1)	78.5(2.0)	71.4(6.4)
	1992	81.3(1.1)	81.3(1.5)	81.4(1.6)	84.2(1.2)	69.3(3.8)	78.3(3.3)
	1990	79.4(1.1)	77.2(1.6)	81.4(1.2)	81.7(1.3)	72.2(3.2)	70.0(3.7)
	1986	79.9(1.0)	79.8(1.7)	80.1(1.2)	81.7(1.0)	74.3(4.8)	69.3(3.2)
	1977	76.9(1.5)	75.7(1.6)	78.2(2.0)	77.8(1.5)	71.8(2.8)	74.1(4.4)
Why publish: Check findings	1999	78.1(1.2)	80.4(1.5)	76.1(1.5)	79.3(1.4)	69.6(2.1)	78.0(5.4)
	1996	76.6(1.0)	76.0(1.6)	77.4(1.8)	79.2(1.4)	71.8(3.2)	70.6(3.3)
	1994	79.7(1.1)	78.4(1.7)	80.9(1.3)	81.5(1.2)	76.7(3.7)	72.4(3.9)
	1992	76.5(1.3)	75.1(1.7)	78.0(1.5)	78.7(1.6)	67.4(2.3)	75.1(3.6)
	1990	76.0(1.1)	74.3(1.3)	77.4(1.4)	78.5(1.2)	67.5(4.6)	68.7(4.2)
	1986	74.1(1.4)	71.2(1.7)	77.1(1.8)	75.4(1.6)	68.8(2.9)	74.5(4.6)
	1977	79.8(1.0)	77.5(1.6)	82.2(1.1)	80.4(1.0)	77.8(2.2)	79.1(4.6)
Why publish: Add to knowledge	1999	79.2(0.8)	78.8(1.1)	79.6(1.1)	81.6(0.9)	72.5(2.8)	73.1(4.1)
	1996	80.2(1.2)	78.5(2.0)	81.8(1.7)	83.5(1.8)	73.4(2.4)	71.3(3.4)
	1994	80.9(1.1)	81.2(1.6)	80.7(1.4)	83.7(1.4)	71.7(2.0)	80.0(3.3)
	1992	83.1(1.0)	81.9(1.6)	84.2(1.3)	85.3(1.2)	75.1(3.4)	77.5(2.0)
	1990	82.9(1.1)	82.2(1.2)	83.5(1.5)	85.0(0.9)	74.4(4.0)	82.7(3.6)
	1986	84.6(1.0)	84.1(1.7)	85.2(1.2)	85.5(1.0)	84.0(2.6)	77.8(3.9)
	1977	85.1(0.7)	83.8(1.0)	86.4(0.9)	86.1(0.8)	81.3(2.0)	80.2(3.2)
Ocean currents and climate	1999	30.8(1.7)	35.5(2.0)	26.5(1.8)	35.1(1.9)	15.7(2.8)	24.8(5.5)
	1996	30.6(1.8)	35.2(2.3)	26.0(1.9)	36.0(2.2)	20.0(2.8)	14.5(3.1)
	1994	29.4(1.8)	33.5(2.3)	25.4(2.1)	34.0(2.3)	14.5(2.1)	14.5(3.5)
	1992	32.6(1.5)	36.7(2.1)	28.6(1.7)	36.6(1.5)	20.5(2.1)	20.5(5.1)
	1990	31.6(1.4)	36.5(2.1)	27.2(1.4)	36.4(1.4)	15.5(2.6)	22.6(3.1)
	1986	27.8(1.6)	31.3(2.5)	24.4(1.7)	31.1(1.9)	16.5(2.4)	12.2(1.9)
	1977	42.0(1.6)	50.0(2.0)	34.6(1.6)	45.3(1.6)	21.9(1.8)	26.3(3.7)
Energy content of foods	1999	7.6(0.8)	9.7(1.3)	5.7(0.8)	7.0(0.9)	6.8(1.7)	11.1(3.3)
	1996	7.0(1.1)	7.8(1.3)	6.1(1.1)	6.4(1.2)	5.6(1.7)	10.3(2.4)
	1994	5.8(0.6)	6.2(0.9)	5.5(0.9)	6.0(0.8)	6.4(1.3)	4.0(1.8)
	1992	6.7(0.6)	7.5(0.8)	5.9(0.8)	5.6(0.7)	7.8(1.5)	9.3(2.9)
	1990	6.2(0.7)	7.2(1.0)	5.3(0.8)	6.2(0.8)	8.7(1.7)	1.4(0.9)
	1986	6.4(0.7)	6.6(1.0)	6.2(0.8)	5.8(0.8)	8.0(2.3)	8.3(2.8)
	1977	4.4(0.5)	5.3(0.8)	3.6(0.5)	4.0(0.5)	6.4(1.1)	7.6(3.3)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Heating a copper wire	1999	63.9(1.4)	66.1(1.6)	61.9(2.0)	66.6(1.5)	51.5(2.6)	61.2(5.0)
	1996	64.0(1.7)	65.3(2.0)	62.7(2.0)	66.0(1.9)	56.2(2.8)	64.7(3.7)
	1994	63.6(1.5)	67.7(1.9)	59.8(2.2)	64.5(1.4)	59.2(4.0)	59.9(4.6)
	1992	65.0(1.3)	70.3(1.9)	59.8(1.5)	66.4(1.4)	58.7(3.5)	62.0(7.9)
	1990	65.4(1.0)	69.2(1.2)	62.1(1.6)	66.5(1.2)	62.2(3.3)	64.3(2.6)
	1986	66.0(1.1)	68.7(1.4)	63.2(2.0)	67.7(1.3)	59.0(3.5)	59.1(4.4)
	1982	67.9(1.9)	68.5(2.2)	67.3(2.6)	68.0(2.2)	69.4(3.0)	63.6(3.4)
	1977	69.3(1.0)	71.8(1.3)	66.9(1.4)	70.2(1.2)	64.3(2.2)	67.7(4.6)
Voltage between two points	1999	66.4(1.4)	67.4(1.7)	65.6(1.8)	70.7(1.3)	50.7(3.5)	61.6(6.1)
	1996	64.7(1.2)	69.0(1.4)	60.2(1.7)	70.3(1.5)	53.9(2.5)	48.6(4.8)
	1994	64.9(1.2)	64.5(1.4)	65.4(1.6)	70.1(1.3)	51.6(3.6)	48.6(4.4)
	1992	65.4(1.3)	68.2(1.7)	62.6(1.6)	70.4(1.3)	53.3(2.6)	48.6(8.3)
	1990	66.3(1.4)	67.8(1.6)	65.0(1.7)	71.1(1.2)	51.4(1.9)	57.1(5.0)
	1986	66.7(1.2)	68.3(1.5)	65.1(2.1)	70.6(1.5)	48.6(3.0)	61.6(4.5)
	1982	66.1(1.5)	67.1(2.1)	65.2(1.6)	68.5(1.6)	53.9(3.0)	64.8(8.1)
	1977	61.4(1.0)	63.1(1.4)	59.7(1.6)	63.4(1.2)	46.3(2.5)	58.8(6.8)
Relative movement: Boy-bike	1999	24.8(1.5)	27.7(2.2)	22.2(1.8)	29.2(1.8)	11.0(1.7)	16.7(2.3)
	1996	22.7(1.3)	28.2(1.6)	17.0(1.5)	26.8(1.4)	12.0(2.0)	13.8(3.4)
	1994	25.5(1.7)	30.4(2.1)	20.9(1.8)	29.1(2.0)	16.1(2.8)	12.3(2.9)
	1992	23.4(1.1)	29.2(1.7)	17.7(1.3)	26.8(1.4)	10.9(3.4)	16.0(4.3)
	1990	22.4(1.1)	27.8(1.6)	17.5(1.2)	25.0(1.2)	11.4(2.3)	16.1(3.1)
	1986	21.6(2.0)	28.3(3.5)	14.8(1.5)	24.0(2.4)	13.4(2.5)	9.5(2.8)
	1982	25.7(1.2)	29.7(1.5)	21.8(1.5)	28.4(1.3)	10.0(2.0)	11.8(2.7)
	1977	25.7(1.2)	29.7(1.5)	21.8(1.5)	28.4(1.3)	10.0(2.0)	11.8(2.7)
Relative movement: Boy-car	1999	92.0(0.7)	92.8(0.9)	91.3(0.8)	93.9(0.8)	84.8(2.4)	90.9(2.5)
	1996	91.7(0.8)	90.4(1.6)	93.1(0.8)	93.3(1.0)	86.6(2.0)	89.5(2.5)
	1994	92.4(0.7)	92.6(0.9)	92.3(0.9)	94.8(0.7)	83.6(2.2)	91.1(2.6)
	1992	92.4(0.9)	93.1(0.9)	91.6(1.3)	93.9(0.7)	86.2(2.0)	90.9(5.4)
	1990	90.9(1.0)	91.9(1.3)	90.0(1.2)	93.1(0.8)	83.5(2.9)	85.5(3.2)
	1986	93.0(0.8)	94.0(0.8)	91.9(1.2)	93.8(0.8)	89.3(2.9)	91.7(2.6)
	1982	92.2(0.6)	93.4(0.7)	91.1(1.0)	93.3(0.6)	84.1(2.5)	92.1(3.2)
	1977	92.2(0.6)	93.4(0.7)	91.1(1.0)	93.3(0.6)	84.1(2.5)	92.1(3.2)
Relative movement: Car-bike	1999	48.8(1.8)	53.0(2.5)	44.9(2.2)	52.2(2.2)	41.5(3.0)	37.1(4.3)
	1996	51.3(1.1)	53.8(1.7)	48.7(1.4)	54.0(1.1)	44.2(2.9)	44.2(5.0)
	1994	53.4(1.6)	56.4(2.1)	50.8(1.9)	57.3(1.9)	45.1(2.5)	40.4(4.0)
	1992	52.2(1.3)	56.6(1.6)	47.8(1.5)	56.3(1.5)	42.1(2.4)	38.2(3.5)
	1990	49.1(1.2)	53.3(1.4)	45.5(1.7)	52.1(1.2)	36.8(2.5)	48.2(5.8)
	1986	48.2(1.6)	53.7(2.5)	42.7(2.0)	51.7(2.1)	34.2(3.1)	34.1(5.1)
	1982	60.7(1.0)	61.9(1.4)	59.4(1.4)	63.7(1.0)	43.3(2.5)	45.3(4.6)
	1977	60.7(1.0)	61.9(1.4)	59.4(1.4)	63.7(1.0)	43.3(2.5)	45.3(4.6)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Relative movement: Boy-tree	1999	91.0(0.7)	92.9(1.1)	89.3(1.0)	92.0(0.8)	86.9(2.2)	90.8(2.7)
	1996	90.0(0.6)	89.7(1.0)	90.4(0.8)	91.5(0.9)	87.2(1.8)	85.5(1.8)
	1994	88.8(0.9)	89.6(1.1)	88.1(1.4)	90.5(0.9)	81.6(2.3)	85.3(3.1)
	1992	90.1(0.7)	89.1(1.0)	91.0(1.0)	91.2(0.7)	86.6(2.7)	86.8(5.1)
	1990	89.9(0.8)	91.1(1.0)	88.9(1.1)	91.2(0.9)	85.8(2.2)	85.3(4.4)
	1986	90.6(0.7)	91.9(0.9)	89.3(1.1)	91.5(0.8)	85.7(2.3)	92.4(1.9)
	1977	90.0(0.7)	90.4(0.9)	89.7(0.8)	90.8(0.7)	83.8(1.9)	90.8(4.1)
Temperature affects pressure	1999	44.5(1.8)	51.6(2.3)	38.1(1.9)	49.6(2.0)	27.8(2.9)	30.7(5.3)
	1996	46.6(1.6)	54.3(2.0)	38.7(2.3)	53.7(2.1)	30.1(2.9)	30.0(3.5)
	1994	46.3(1.6)	55.3(2.2)	37.9(2.0)	52.7(2.0)	28.3(2.5)	25.0(3.4)
	1992	45.7(1.5)	53.9(1.7)	37.6(2.4)	51.6(1.7)	22.7(3.1)	37.7(4.6)
	1990	43.0(1.5)	53.3(1.9)	33.8(1.9)	48.6(1.5)	26.2(2.9)	25.0(3.2)
	1986	43.5(1.6)	57.9(2.3)	29.0(1.5)	47.7(1.5)	25.7(4.3)	31.1(3.7)
	1977	45.1(1.5)	58.5(1.7)	32.7(1.8)	49.1(1.4)	19.6(2.0)	33.1(5.6)
Beam of electrons in TV screen	1999	41.9(1.2)	41.4(2.1)	42.4(1.9)	44.0(1.4)	35.5(2.5)	39.8(3.6)
	1996	45.1(1.3)	46.0(1.7)	44.2(1.7)	48.9(1.6)	36.6(2.5)	33.6(2.7)
	1994	45.0(1.4)	47.3(2.2)	42.7(1.6)	48.8(1.8)	34.6(2.3)	34.2(3.3)
	1992	40.4(1.3)	41.4(1.9)	39.3(2.0)	44.4(1.6)	32.2(3.4)	24.3(3.8)
	1990	37.1(1.1)	39.4(1.6)	35.0(1.6)	38.3(1.1)	34.3(3.3)	29.9(2.4)
	1986	33.7(1.2)	37.0(1.9)	30.3(1.3)	35.7(1.4)	23.9(3.5)	28.4(6.1)
	1977	34.2(1.2)	39.3(1.8)	29.5(1.4)	34.4(1.3)	33.2(3.3)	31.9(4.3)
Acceleration of wagon on hill	1999	29.8(1.5)	39.4(2.0)	21.0(1.3)	34.3(1.6)	10.6(2.0)	24.7(5.4)
	1996	29.5(1.4)	36.3(1.9)	22.5(1.6)	34.5(1.5)	16.3(2.3)	20.7(2.8)
	1994	32.3(1.4)	41.8(1.8)	23.4(1.7)	38.4(1.6)	11.6(3.0)	18.5(2.8)
	1992	28.9(1.4)	37.4(1.4)	20.4(2.0)	34.0(1.7)	13.7(2.8)	13.7(3.0)
	1990	28.3(1.3)	35.3(1.6)	22.2(1.5)	32.6(1.5)	11.9(2.1)	20.5(4.2)
	1986	28.6(1.6)	38.0(2.9)	19.2(1.3)	32.2(1.7)	13.3(3.0)	17.2(2.5)
	1977	26.0(1.1)	35.8(1.3)	16.3(1.3)	29.1(1.1)	9.2(1.7)	13.6(2.8)
Light bulbs in series	1999	22.7(1.2)	29.1(1.7)	16.8(1.3)	25.7(1.4)	11.3(2.0)	13.0(2.5)
	1996	25.8(1.0)	32.4(1.6)	19.0(1.4)	30.3(1.4)	14.7(2.1)	15.6(4.6)
	1994	30.2(1.4)	35.0(1.9)	25.6(1.8)	35.6(1.7)	13.5(1.7)	20.6(4.1)
	1992	29.4(1.3)	33.6(2.0)	25.3(1.7)	34.7(1.3)	11.6(1.7)	20.7(3.4)
	1990	28.3(1.4)	35.5(1.7)	22.0(1.5)	31.8(1.5)	14.5(2.1)	24.4(3.9)
	1986	24.5(1.3)	32.2(1.9)	16.9(1.3)	26.7(1.3)	15.6(3.6)	19.7(3.2)
	1977	25.4(1.1)	32.0(1.6)	19.0(1.3)	27.8(1.2)	11.2(2.1)	19.3(4.0)
Interpret a chemical formula	1999	62.1(1.4)	60.8(1.7)	63.6(2.0)	64.6(1.5)	53.0(3.9)	56.6(5.4)
	1996	62.2(1.7)	61.2(2.4)	63.2(1.7)	64.4(1.8)	52.3(3.5)	56.9(3.9)
	1994	61.4(1.8)	59.8(2.2)	63.4(2.4)	64.5(1.9)	55.9(4.3)	49.3(4.7)
	1992	59.5(1.2)	58.4(2.0)	60.7(1.5)	62.4(1.4)	48.5(3.7)	45.6(4.0)
	1990	57.4(1.3)	58.6(1.7)	56.3(1.8)	60.1(1.3)	53.8(2.8)	39.8(6.6)
	1986	56.3(1.4)	57.9(2.2)	54.9(1.7)	59.7(1.6)	46.2(3.6)	42.9(5.4)
	1977	44.6(1.7)	46.8(2.3)	42.6(1.7)	47.6(1.7)	28.3(4.1)	32.8(4.8)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Analyzing causes of disease	1999	60.6(1.1)	59.2(1.3)	62.1(1.6)	67.3(1.4)	42.9(4.5)	41.0(3.9)
	1996	60.6(1.4)	63.2(1.9)	58.2(1.7)	64.0(1.6)	45.5(2.9)	51.9(4.0)
	1994	55.6(1.6)	54.9(2.2)	56.5(1.9)	60.0(1.9)	37.0(2.9)	49.8(5.0)
	1992	56.7(1.4)	56.2(1.9)	57.2(1.7)	60.0(1.5)	43.3(3.7)	51.3(2.8)
	1990	54.6(1.6)	53.9(2.2)	55.2(1.6)	57.7(1.9)	40.3(3.6)	49.2(5.4)
	1986	55.7(1.6)	54.9(2.5)	56.5(2.1)	59.7(1.9)	38.3(3.0)	48.6(3.7)
	1977	56.0(1.2)	54.5(1.7)	57.4(1.2)	59.3(1.3)	34.5(2.3)	41.2(4.7)
Neutralize alkali	1999	13.1(0.9)	13.5(1.2)	12.8(1.1)	14.4(1.3)	8.5(1.5)	12.2(2.0)
	1996	11.7(0.9)	12.2(1.3)	11.1(1.0)	12.5(1.0)	6.8(1.5)	10.8(2.7)
	1994	11.0(0.7)	11.6(0.9)	10.4(1.0)	11.9(0.7)	9.9(1.7)	6.1(1.7)
	1992	10.7(0.8)	11.7(1.0)	9.7(1.1)	11.1(0.9)	7.8(2.1)	9.8(2.3)
	1990	10.1(0.8)	11.1(1.1)	9.1(0.9)	10.1(0.8)	9.1(1.8)	7.6(4.2)
	1986	10.6(1.0)	11.5(1.6)	9.9(1.0)	11.1(1.0)	7.7(1.8)	8.9(2.8)
	1977	9.9(0.9)	10.2(1.3)	9.6(1.1)	9.7(1.0)	10.7(1.6)	8.1(3.1)
Ratio of oxygen/copper	1999	52.4(1.2)	50.8(1.9)	54.0(1.7)	56.8(1.3)	33.0(2.4)	41.1(4.3)
	1996	54.1(2.1)	51.5(2.8)	56.7(1.9)	58.4(2.7)	39.2(2.5)	40.4(3.9)
	1994	51.3(1.8)	51.2(2.4)	51.8(2.3)	53.3(2.0)	40.4(5.1)	48.1(5.3)
	1992	49.5(1.6)	50.1(1.9)	48.9(2.0)	52.5(1.8)	33.7(4.2)	43.9(4.7)
	1990	47.3(1.9)	47.6(2.3)	46.9(2.1)	49.6(1.9)	37.1(6.1)	36.6(8.1)
	1986	43.2(1.9)	42.6(2.3)	43.8(2.4)	46.9(2.3)	30.8(4.3)	25.2(5.3)
	1977	37.1(1.8)	39.2(2.4)	35.1(1.7)	39.4(1.6)	22.2(3.9)	24.4(5.8)
Plant experiment: Conclusion	1999	33.5(1.1)	33.8(1.6)	33.3(1.6)	37.4(1.4)	17.4(1.5)	29.4(3.8)
	1996	34.3(1.5)	34.6(1.8)	34.1(2.3)	37.5(2.0)	22.3(2.8)	26.1(4.2)
	1994	29.9(1.4)	29.9(1.6)	29.9(1.9)	34.6(1.8)	19.6(3.9)	15.5(3.0)
	1992	29.5(1.3)	29.7(1.3)	29.2(2.0)	32.5(1.5)	19.3(2.6)	19.9(3.5)
	1990	28.8(1.4)	29.7(2.1)	27.9(1.6)	32.5(1.5)	18.0(2.4)	10.1(3.8)
	1986	31.5(1.8)	31.1(2.4)	31.8(2.2)	35.6(2.0)	17.0(3.3)	14.2(3.1)
	1977	28.7(1.2)	28.3(1.7)	29.0(1.5)	31.3(1.3)	14.0(2.4)	17.1(2.8)
Plant experiment: Control	1999	81.9(1.1)	78.1(1.4)	85.7(1.4)	86.3(1.2)	66.4(2.7)	70.8(3.2)
	1996	80.2(1.2)	77.0(1.6)	83.3(1.7)	83.7(1.4)	68.0(2.9)	69.0(5.4)
	1994	79.7(1.3)	77.4(2.0)	82.2(1.1)	82.9(1.4)	67.3(4.3)	75.3(5.8)
	1992	81.8(1.2)	78.1(1.6)	85.6(1.3)	84.5(1.1)	68.0(3.9)	75.6(3.3)
	1990	79.2(1.2)	74.4(1.7)	84.1(1.3)	81.8(1.0)	70.3(2.8)	68.7(6.5)
	1986	77.9(1.5)	74.0(2.2)	81.4(1.7)	81.7(1.5)	62.2(3.6)	72.0(3.6)
	1977	77.9(1.1)	75.2(1.6)	80.3(1.7)	79.7(1.3)	67.1(2.8)	71.9(4.2)
Format of chemical product	1999	36.8(1.1)	38.4(1.8)	35.3(1.4)	42.6(1.5)	18.2(1.7)	26.9(3.8)
	1996	36.1(1.9)	35.7(2.0)	36.4(2.2)	39.5(2.2)	21.9(2.7)	26.0(3.9)
	1994	34.4(1.5)	37.2(2.1)	32.0(2.1)	39.5(1.8)	19.3(3.4)	22.3(4.5)
	1992	35.2(1.3)	36.5(1.6)	33.8(1.8)	39.6(1.4)	18.7(2.8)	21.5(3.2)
	1990	36.3(1.5)	39.0(2.1)	33.5(1.8)	39.6(1.4)	22.4(4.7)	28.1(5.4)
	1986	34.2(1.3)	34.2(2.1)	34.2(1.8)	38.4(1.4)	15.9(2.3)	17.6(3.9)
	1977	32.3(1.2)	34.8(1.7)	30.1(1.4)	35.5(1.2)	12.6(2.7)	18.4(4.1)

(***) Standard error estimate is greater than 9.9

Question Description	Year	Total	Male	Female	White	Black	Hispanic
Energy added to melting ice	1999	36.6(1.5)	39.2(1.8)	34.3(2.1)	40.4(1.7)	24.7(2.7)	26.3(5.1)
	1996	35.8(1.3)	38.4(1.8)	33.5(1.6)	38.9(1.5)	21.7(3.4)	29.6(3.1)
	1994	33.9(1.4)	35.9(1.8)	31.8(1.8)	36.8(1.7)	21.2(2.3)	30.0(6.0)
	1992	33.0(1.2)	33.7(2.0)	32.2(1.2)	35.5(1.3)	21.5(2.5)	26.7(3.9)
	1990	31.2(1.5)	33.5(2.0)	28.9(1.8)	33.4(1.6)	23.5(2.8)	19.9(6.6)
	1986	29.7(1.3)	31.8(1.7)	27.8(1.7)	30.8(1.5)	23.4(2.7)	28.8(3.5)
	1977	30.7(1.2)	33.0(1.4)	28.4(1.4)	32.4(1.2)	18.8(2.4)	29.3(6.4)
Balancing a chemical equation	1999	50.7(1.2)	49.3(1.9)	52.2(2.2)	56.0(1.7)	31.2(2.6)	37.7(3.9)
	1996	50.5(1.9)	49.4(2.0)	51.5(2.3)	54.5(2.3)	37.4(3.4)	32.1(4.1)
	1994	46.5(1.6)	47.2(1.8)	45.8(2.0)	49.3(1.8)	32.5(3.8)	38.5(4.9)
	1992	46.4(1.6)	43.8(2.2)	49.1(1.9)	49.9(1.6)	31.3(4.3)	31.8(6.9)
	1990	45.0(1.8)	43.4(2.3)	46.6(2.2)	47.7(1.7)	35.5(7.1)	29.9(6.0)
	1986	40.3(2.4)	40.5(3.1)	40.1(2.6)	43.6(2.7)	26.9(2.9)	23.3(4.5)
	1977	32.6(1.6)	33.3(1.7)	31.8(2.3)	35.9(1.7)	13.4(2.3)	19.6(5.8)
Estimate half life from graph	1999	35.9(1.3)	38.9(1.9)	33.1(2.0)	39.0(1.7)	25.4(2.1)	30.5(3.9)
	1996	34.7(1.1)	38.0(2.0)	31.6(1.2)	36.2(1.4)	24.3(3.4)	31.3(2.9)
	1994	32.0(1.4)	37.6(1.8)	26.3(1.6)	36.4(1.7)	17.1(3.3)	26.2(5.7)
	1992	33.4(1.7)	36.9(2.1)	29.8(1.9)	36.9(1.9)	20.6(3.0)	16.9(3.5)
	1990	34.1(1.8)	38.3(2.1)	29.9(1.9)	36.7(1.8)	26.8(4.6)	16.2(4.4)
	1986	32.8(1.1)	36.2(1.6)	29.6(1.6)	34.5(1.3)	25.1(3.5)	30.5(3.8)
	1977	26.4(1.2)	31.0(1.7)	22.1(1.2)	28.8(1.2)	13.0(1.5)	14.8(2.6)
Equilibrium reaction	1999	21.9(0.8)	22.1(1.1)	21.6(1.6)	22.0(1.0)	21.1(2.4)	18.3(3.1)
	1996	25.3(1.4)	25.7(1.5)	24.8(2.0)	26.5(1.6)	16.9(2.5)	20.7(5.0)
	1994	26.2(1.2)	28.1(1.8)	24.3(1.5)	27.2(1.5)	21.3(3.1)	23.3(4.4)
	1992	27.9(0.8)	28.3(1.3)	27.4(1.3)	27.5(1.0)	32.0(3.2)	22.8(3.4)
	1990	24.6(1.4)	26.9(2.0)	22.3(1.4)	25.6(1.3)	23.1(3.4)	10.5(3.1)
	1986	28.7(1.4)	31.3(2.2)	26.4(1.7)	29.5(1.6)	24.7(2.8)	26.8(4.4)
	1977	30.6(1.3)	30.1(1.9)	31.0(1.6)	30.8(1.5)	33.4(3.1)	19.9(4.3)

(**) Standard error estimate is greater than 9.9